


Creatin' in the Sticks



<http://createinthesticks.blogspot.com>

**Patterns for personal use only, please*

Spring Coasters
Designed for Thermoweb.com



Finished Size: 4½" x 4½"

please read through the complete instructions before starting.

Supplies:

HeatnBond EZ Print Lite iron on adhesive – 1 sheet
or

HeatnBond Lite if you want to trace the templates

HeatnBond Fusible Fleece – cut 4 5” squares

Fabric: 1 fat quarter of light fabric – cut four rectangles 4” x 5”

1 fat quarter of spring print fabric – cut four rectangles 1 ½” x 5” and four squares 5” x 5”


Assorted scrap fabric for applique flower design

Aurifil 50 wt. Thread: white (2021)

Ink Jet Printer, Iron (I love my Oliso), Sewing machine, Sharp scissors, a chopstick for pushing out corners, and other basic sewing supplies.

Background instructions:

Stitch the spring fabric and light fabric rectangles together with a ¼” seam with right sides together to make the 5” x 5” background.



Follow the HeatNBond Fusible Fleece package instructions to fuse the 5” squares to the wrong side of the prepared background squares.

Pair each background with one spring fabric square and pin with the right sides together. Stitch around the 4 squares ¼” from the edges. Leave a 3” opening on one side for turning right side out.

Clip the corners and turn each coaster right side out and press.

Press the opening shut by turning the edges inside 1/4” and edge stitch around the coaster.

Applique Instructions:

Prepare the applique patterns

If you are using HeatnBond EZ Print Lite sheets, print the applique pattern pieces (the last sheet of this pattern) with your inkjet printer. Follow the package instructions for printing and bonding to the wrong side of the fabrics.

NO TRACING! How awesome is that?

With other fusibles, the pattern pieces will need to be traced on the paper side of the adhesive. Follow the manufacturer’s instructions for tracing the patterns and bonding to the wrong side of fabrics. The patterns have been reversed for you.

Cut out all applique pieces on the solid black lines, peel off the backing paper, and place applique with the adhesive side down on the 5" x 5" background piece of fabric on the topside of the coaster.

The layout key is included in this pattern.

Bond the Applique Pieces to the Background

Following the package instructions to press the entire applique to the background.

Stitch around appliques

Use a zigzag, blanket, or straight stitch with Aurifil thread to stitch around each applique piece. This will also quilt the spring coasters.


Stitch in the ditch where the spring fabric meets the light fabric to finish the quilted Spring Coasters.



Spring Coasters

Key for template lalyout

Created by
Carla Henton
FOR THERMOWEB



Spring Coasters

templates for 4 coasters

