



Christmas Joy Stocking
Therm O Web Sew Along
8½" x 8½" Unfinished Block



Supplies:

Heat n Bond Lite, Iron-on Adhesive or

Heat n Bond EZ Print Lite Sheets

Aurifil Thread

Oliso Iron

Fabric needed to make four Stockings:

Fat quarters in red (1), green (1), white (2)

Cutting Instructions:

Cut 4 - 8½" x 8½" white squares (background)

Sewing/Appique Instructions: Seams are sewn 1/4" wide


Step 1: Applique - Prepare the applique patterns using iron-on adhesive; follow package directions. Iron adhesive pieces to wrong side of fabrics following package directions. Cut out applique pieces. Peel off paper liner from the backs of applique pieces. Place applique, adhesive side down, on right side of fabric. Press according to package directions until entire piece is bonded. Let cool. Sew around edges of applique using a straight, zig-zag, or blanket stitch.


*Tip: Use a heat resistant applique sheet to arrange your applique before applying it to your fabric. This helps avoid mistakes in placement. Just lightly press the pieces in place on the applique sheet and let cool before removing. Iron on right side of fabric following manufacturer's directions.

*Tip: Ironing Heat n Bond Fusible Interfacing to the back of an applique block can help keep the threads from showing through fabric and make stitching small pieces easier.

Make two Stocking blocks

*Applique designs have been reversed for you.





Make two Stocking blocks

*Applique designs have been reversed for you.

